

INDOOR & OUTDOOR TELEPHONE DISTRIBUTION BOX.



Model BC-50-100

Outdoor distribution box for max. 100 pairs

Specifications.

- Construction : - Housing ABS black colour. UV stable.
- Cover: ASA or fiberglass reinforced Polyester. Colour grey.
- Metal parts: stainless steel.
- Mounting : Four (4) screws wall mounting.
- Cable entry : by means of rubbers to be cut on correct size.
- Capacity : Model BC-30-30 = Max 30 tel. pairs.
- Model BC-40-50 = Max 50 tel. pairs
- Model BC-50-100 = Max 100 tel. Pairs.
- Contact blocks : type "Knife LSA PLUS" . Wire connections done by using special LSA + tool.
- Test tension 2KV and 10kA (20msec)
- Resistance : $\geq 50 \Omega$
- Capacity : $\leq 1\text{pF}$
- Attenuation : at 3400Hz 110 dB
- at 20Mhz 30,5 dB
- Temperature range : Minus 20C° to +80C° at 95% humidity
- Protection : IP54
- Dimensions (LxWxD): BC-30-30 : 173x137x87mm.
- BC-40-40 :210x191x108mm
- BC-50-100 : 390x223x124mm
- Shipping weight : 1Kg / 1,5Kg / 3Kg

Options:

- LA = Lighting arrestor.(Per 10 connections)
- IP64 = IP 64 protection degree.
- KEY = Door lock key



Model KRONECTION BOX I

Indoor distribution box max.30 pairs. Picture shows terminals for only 20 pairs
Model kronnection box II (50pairs) and III (100pairs) will have same lay-out.

Specifications.

- Construction : PVC housing with stainless steel mounting plate for LSA+ terminals.
- Mounting : Four (4) screws wall mounting.
- Capacity : 30, 50 or 100 telephone pairs 0,4 up to 0,8mm upon model number.
- Contact blocks : type "Knife LSA PLUS" . Wire connections done by using special LSA + tool.
- Test tension 2KV and 10kA (20msec)
- Resistance : $\geq 50 \Omega$
- Capacity : $\leq 1\text{pF}$
- Attenuation : at 3400Hz 110 dB
- at 20Mhz 30,5 dB
- Temperature range : Minus 20C° to +80C° at 95% humidity
- Protection : IP 23
- Dimensions (LxWxD): Kronnection I : 170x140x75mm
- Kronnection II 215x215x75mm
- Kronnection III 320x215x75mm
- Shipping weight : 1,5Kg up to 3 Kg depending on model.

Option:

- KEY = Door key
- LA = Lighting arrestor (per 10 connections).